







CONTAINER LOADABILITY BASED ON VOLUME AND WEIGHT										Oct-20			
SN	PRODUCT	PACKING	GW KG	L	B	H	CBM	20' CAP. (33 CBM)			PALLET LOAD	BAR CODE	
				CM	CM	CM	PER CTN	SHIPPERS	GR. WT				
1	LOOZEN LN-04 Lubricating & Penetrating oil (HS code - 34031990)	480 ML X 24	10.800	41.0	28.0	24.8	0.028	1010	2037		84	50	9 501054 209032
2		220 ML X 24	5.700	33.0	22.0	20.0	0.015	2273	3860		168	50	9 501054 209049
3		100 ML X 24	2.800	28.5	18.5	13.5	0.007	3600	7857		392	50	9 501054 209162
3N		45 ML x 48	2.600	29.5	21.5	10.2	0.006	5500	8462		392	100	9501054 209193
COMPOSITION :-ALIPHATIC HYDROCARBON OILS -10 TO 12%ALIPHATIC CYCLOPARAFFINIC HYDROCARBONS (PETROLEUM DISTILLATES)-35 TO 39 %													
ISO AMYL ACETATE - 0.2 TO 0.25 % MIXTURE OF BUTANE / PROPANE / ISOBUTANE AEROSOL PROPELLENT - TO 100%													
Application :- Protects against rust, penetrates to free stuck parts like hinges, nut bolts and frees sticky mechanisms													
4	LOOZEN Carb & Choke cleaner (HS code - 34031990)	400 ML X 12	4.660	41.0	28.0	24.8	0.028	2100	4721		144	50	9 501054 209100
5	LOOZEN Brake & Parts Cleaner (HS code - 34031990)	500 ML X 12	5.600	28.0	21.6	25.0	0.015	2200	3929		144	25	9 501054 209230
COMPOSITION :- XYLENE - 50 TO 60 % MIXTURE OF BUTANE / PROPANE / ISOBUTANE AEROSOL PROPELLENT - TO 100%													
Application for Carb & choke cleaner :- It quickly cleans and remove carbon, oil oxides, tar and other deposits on carburetors.													
Application for Brake & parts cleaner :- It removes brake fluid, oil, grease ,other contaminants from brake drums & other brake parts													
6	LOOZEN Degreaser -Aerosol (HS code - 34031990)	500 ML X 12	5.600	41.0	28.0	24.8	0.028	2000	3929		144	25	9 501054 206154
COMPOSITION :-BUTYL CELLOSOLVE(ETHYLENE GLYCOL MONO BUTYL ETHER)- 3%. ALIPHATIC CYCLOPARAFFINIC HYDROCARBONS (PETROLEUM DISTILLATES)-45 %													
ALIPHATIC HYDROCARON OIL - 2% MIXTURE OF BUTANE / PROPANE / ISOBUTANE AEROSOL PROPELLENT - 50 %													
Application:- It quickly removes grease,oil,dirt and grime.Deep cleaning action makes engine run smoother													
7	SUPER SHINE -TYRE FOAM (HS code - 34031990)	500 ML X 12	6.600	41.0	28.0	24.8	0.028	2000	3333		144	25	9 501054 212094
COMPOSITION :- Silicone Emulsion 30-45% Antimicrobial compound 0.02-0.04% DM water 30-35%, Mixture of Butane, Propane, Iso butane Hydrocarbon Aerosol propellent to 100													
Application :- Dissolves dirt & grime, restores rich satin finish and protects tyres.Spray ON and NO wiping													
	Super Shine (HS code-34059010)												
8	STRAWBERRY	500 ML X 24	10.100	35.5	24.0	31.0	0.026	1249	2178		96	1	9 501054 211110
9	FRESH LIME	500 ML X 24	10.100	35.5	24.0	31.0	0.026	1249	2178			1	9 501054 211127
10	ROSE	500 ML X 24	10.100	35.5	24.0	31.0	0.026	1249	2178			1	9 501054 211073
11	BAKHOUR	500 ML X 24	10.100	35.5	24.0	31.0	0.026	1249	2178			1	9 501054 211080
12	APPLE	500 ML X 24	10.100	35.5	24.0	31.0	0.026	1249	2178			1	9 501054 212117

13	ORANGE	500 MLX 24	10.100	35.5	24.0	31.0	0.026	1249	2178					1	9 501054 212100
14	TUTTI FRUITY	500 MLX 24	10.100	35,5	24.0	31.0	0.026	1249	2178					1	9 501054 212214
15	STRAWBERRY	250 ML X 48	11.120	44.0	33.0	21.8	0.026	1043	1978					3	9 501054 211189
16	Fresh Lime	250 ml x 48	11.120	44.0	33.0	21.8	0.026	1043	1978					3	9 501054 211196
17	ROSE	250 ML X 48	11.120	44.0	33.0	21.8	0.032	1043	1978					3	9 501054 211158
18	BAKOUR	250 ML X 48	11.120	44.0	33.0	21.8	0.032	1043	1978					3	9 501054 211165
19	Strawberry	400 ML X 24	8.000	44.0	33.0	21.8	0.032	1043	2750				NA		9 501054 211981
20	Fresh Lemon	400 MLX 24	8.000	44.0	33.0	21.8	21.8.0.	1043	2750				96	5	9 501054 211998
21	Rose	400 ML X 24	8.000	44.0	33.0	21.8	0.032	1043	2750				96	5	9 501054 211974
22	BAKHOUR	400 MLX 24	8.000	44.0	33.0	21.8	0.032	1043	2750				NA		9 501054 211967
23	Stb	400 ML X 24	8.000	44.0	33.0	21.8	0.032	1400	2750				96	NA	9 501054 270292
24	Lime	400 ML X 24	8.000	44.0	33.0	21.8	0.032	1400	2750				96	5	9 501054 270322
25	Paris	400 ML X 24	8.000	44.0	33.0	21.8	0.032	1400	2750				96	5	9 501054 270315
26	Udd	400 ML X 24	8.000	44.0	33.0	21.8	0.032	1400	2750				96	5	9 501054 270308
COMPOSITION :- SILICONE OIL - 5 TO 7 % FRAGRANCE - 0.1 TO 0.5 % MIXTURE OF BUTANE / PROPANE / ISOBUTANE AEROSOL PROPELLENT - TO 100 %															
Application:- To clean & polish car dashboard and gives shiny interior look, also surface becomes water resistant															
27	GLINT-Pre. Protectant (HS code - 34022022)	925 ml x 12	12.800	38.0	33.3	26.7	0.034	900	1719				72	NA	9 501054 270018
28		300 ML X 24	8.650	31.0	21.5	25.5	0.017	1275	2543				108	NA	9 501054 270063
29		120 ML X 24	3.900	31.0	21.5	25.5	0.017	1920	5641				132	NA	9 501054 270056
30		5 Lit X 4	22.000	38.4	22.8	30.0	0.025	900	1000				50	NA	9 501054 270278
31	GLINT Windsheild Glass Cleaner (HS code - 34022022)	300 MLX 24						1275					96	5	9 501054 217266
COMPOSITION :- DIMETHICONE - 10 TO 15 % CARNAUBA / MICROWAX - 5 TO 10 % EGMS / EMULSIFIERS - 5 TO 10 %															
PERFUMES AND INERT ADDITIVES - QS AS REQUIRED															
32	EARTS HERO -4 WARNER BROS (HS code - 34031990)	100 MLX 6 x 6 SKU	4.300	28.5	28.5	14.2	0.012	0	2100				144	20	9 501054 211332
COMPOSITION :- NATURAL / SYNTHETIC FRAGRANCE OIL - 2 TO 4 % ETHANOL - 5 TO 10 % MIXTURE OF BUTANE / PROPANE / ISOBUTANE AEROSOL PROPELLENT - TO 100 %															
Application:- Car Freshener spray															
33	OCC CO CONTACT CLEANER (HS code - 34031990)	400 ML X 24	8.630	35.0	23.7	25.8	0.021	1542	2632				96	3	9 501054 211132
COMPOSITION : N-HEXANE - 30 TO 40 % MIXTURE OF BUTANE / PROPANE / ISOBUTANE AEROSOL PROPELLENT - TO 100 %															
Application :- It removes dust, rust. Soil, chemical deposits without harming the electrical & electronic contact surface															
34	ZAP- Multipurpose Insect Kiler (HS code - 38089190)	400 ML X 48	17.400	50.3	37.5	27.0	0.051	680	1325				56	10	9 501054 214012
35	FLEE FLEE - FLYING INSECTS killer (HS code - 38089190)	400 ML X 48	17.4	50.3	37.5	27	0.051	680	1325				56		9 501054 202118

COMPOSITION : IMIPROTHRIN - .04 % D-PHENOTHRIN - 0.10 % ISOPROPYL MYRISTATE 3 TO 3.2 % PETROLEUM DISTILATE - 8 TO 8.80 %																
ODOUR MASKING COMPOUND - 0.194 % HYDROCARBON AEROSOL PROPELLENT - TO 100%																
Application:- To kill all types of crawling & flying insects																
36	SUPER SHINE -Protectants Reg (HS code - 34022022)	126 ML X 24	7.000	35.0	21.5	25.5	0.002	1920					160	40	9 501054 211035	
37	Strawberry	126 ML X 24	7.000	35.0	21.5	25.5	0.002	1920					60	60	9 501054 211325	
38	Bakhour	126 ML X 24	7.000	35.0	21.5	25.5	0.002	1920							9 501054 211493	
39	Reg.	315 ML X 12	3.900	31.0	21.5	25.5	0.017	2500	5641				186	40	9 501054 211103	
40	Strawberry	315 ML X 12	3.900	31.0	21.5	25.5	0.017	2500					60	60	9 501054 211332	
41	Bakhour	315 ML X 12	3.900	31.0	21.5	25.5	0.017	2500							9 501054 211486	
42	Regular /Stb	500 ML X12	13.950					900					60	10	9 501054 211745	
42B	Regular /Stb	500MLX 24											50	10		
43	SUPER SHINE	25 LIT											24			
44	SUPER SHINE 2020 THICK GEL	20 LIT											24			
45	SUPER SHINE	5 LIT X 4						950					50	10		
46	SUPER SHINE 2020 STB	126 ML X 24	7.000	35.0	21.5	25.5	0.002	1920					160			
47	SUPER SHINE 2020 STB	315 ML X 12											186			
48	SUPER SHINE BLACK SHINE	126 MLX 24	7.000	35.0	21.5	25.5	0.002	1920					160			
49	SUPER SHINE BLACK SHINE	315 MLX 12											186			
50	SUPER SHINE California Stb	126 MLX 24	7.000	35.0	21.5	25.5	0.002	1920					160			
51	SUPER SHINE California Stb	315 MLX 12											186			
52	SUPER SHINE PURPLE GEL	315 MLX 24											186			
53	SUPER SHINE CARNUABA WAX	8 OZ X 12						1540							9 501054 211516	
54	SUPER SHINE Carnuaba Lotion	315 ML X 12														
COMPOSITION :- DIMETHICONE - 15 % CARNAUBA / MICROWAX - 10 % EGMS / EMULSIFIER - 10% DEMINERILISED WATER - 64%																
PERFUMES AND INERT ADDITIVE - 1%																
	Engine coolant (HS code- 38200000)															
55	PRESTINO -Green	4 LIT X 4	17.600	38.4	22.8	30.5	0.027	975	1250				60		9 501054 217358	
56	PRESTINO -Red	4 LIT X 4														
57	PRESTINO Turbo	4 LIT X 4														
58	PRESTINO -Speed	4 LIT X 4														
59	PRESTINO -Speed	4 LIT X 4														
60	PRESTINO RED/GREEN	200 LIT						80					4			
61	PRESTINO PREMIUM 33% MEG	1USG X 4											50			
62	PRESTINO PREMIUM 33% MEG	1USG X 4											50			
63	PRESTINO PREMIUM 33% MEG	200 LIT											4			
64	LOOZEN LN 04 50/50	1USG X 4											50			
65	GULF COOL RED 50% M E G	4 LIT X 4	17.200	42.2	24.6	30.0	0.031	1060	1279				60		9 501054 221027	
66	GULF COOL GREEN 50% MEG	4 LIT X 4	17.200	42.2	24.6	30.0	0.031	1060	1279				60		9 501054 221027	

67	GULF COOL 50% MEG	200 LIT						80					4	
68	LOOZEN LN-04 -RED 33% MEG	1 LIT X 12											65	9 501054 209148
69	LOOZEN LN-04 RED 50% MEG	1 LIT X 12						1100						9 501054 209148
	coolant 99% MEG	200 LIT												
COMPOSITION : - MONO ETHYLENE GLYCOL (AS REQUIRED %) DEMINERALISED WATER (AS REQUIRED %)														
NON - HAZARDOUS INGREDIENTS (AS REQUIRED %)														
70	Washine Car Shampoo (HS code - 34022022)	1.2 LIT X 12	13.200					950	1667				5	9 501054 217266
71		5 LIT X 4	22.000	38.4	22.8	30.0	0.026	850	1000					9 501054 217150
72		25 LIT											24	
73		35 LIT											24	
74		200 LIT	216.000					80	102				4	
75		20 LIT											24	
COMPOSITION :- LABSA - 5 - 10 % NONIONICS SURFACTANTS - 15 % OTHER INGREDIANTS - AS PER QS														
76	OHP Battery Acid 1.26 Gravity	5 lit x 4	26.200	38.4	22.8	30.0	0.026	1256	8				44	



77	OHP Battery Acid code - 34022022)	(HS	20 LIT	21.000						1048								
78			25 LIT	26.000						846								
79			200 LIT															
80			4 Lit X 4							975								
COMPOSITION :- SULPHURIC ACID - 33 % DEMINERALISED WATER - 67 %																		
81	OHP H C L (HS code - 34022022)		240 KG															
COMPOSITION :- HYDROCHLORIC ACID - 32 % DEMINERALISED WATER - 68 %																		
82	OHP Battery WATER code - 34022022)	(HS	1 LIT X 24							525							32	
83			500 ML X 24	26.300	48.5	30.8	32.5	0.049	680	837							50	
84			5 LIT X 4	22.000	38.4	22.8	30.0	0.026	850	1000								
85			25 LIT	26.000							846							
86			20 LIT															
87		200 LIT															4	
COMPOSITION :- DEMINERALISED WATER - 100 %																		
88	Washine Concentrated Degreaser		5 LIT x 4	22.000	38.4	22.8	30.0	0.026	840	1000							50	
COMPOSITION :- SODIUM SILICATE - 2 % SODA ASH HEAVY - 2 % FATTY ALCOHOL ETHOXYLATE - 15 % CAUSTIC SODA - 5 %																		
DEMINERALISED WATER - 76 %																		
89	OZONE CAR A F STB		80 MLX 24							4000							9 501054 120085	
COMPOSITION : FLAVOUR / PERFUME - 5% DEMINERALISED WATER - 95 %																		
TEEB Air Fresheners (Dry) (HS code - 33074910)																		
91	BAKHOUR		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101053
92	Bouquet		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101039
93	Jasmine		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101022
94	LAVENDER		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101077
95	Lemon		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101084
96	Rose		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101015
97	Royal		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101497
98	Sabah		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101442
99	Sandal		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101046
100	Shahed		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101480
101	Udd		300 ML X 48	13.100	46.7	34.5	25.5	0.041	725	1450							2	9 501054 101060
COMPOSITION :- NATURAL / SYNTHETIC FRAGRANCE OIL - 1.80 TO 2.00 % MIXTURE OF BUTANE / PROPANE /																		
ISOBUTANE AEROSOL PROPELLENT - TO 100 %																		
Application:- Air Freshener which removes bad odour and gives pleasant smell																		
Above pricing is an indicative, call on 00968 99326370 / 91-9723453421 email; ashish@albahja.com / kumar@hamlaiindustries.com or visit www.hamlaiindustries.com / www.albahja.com/carcarange / www.albahja.com																		

